

CHINON

35F

**COMPACT 35mm CAMERA WITH
BUILT-IN ELECTRONIC FLASH AND EASY FILM LOADING SYSTEM**

FEATURES:

- Easy film loading system
- Built-in "pop-up" electronic flash with a guide number of 14 (ASA 100:M), 46 (ASA 100:ft).
- CHINON three element (3 groups) glass 35mm f/3.8 color - corrected lens.
- Weather marks for convenient exposure setting.
- No. focusing neccessary (1.3M - ∞)

- Under Exposure warning LED
- CHINON metal leaf shutter
- Ultra compact design
- Accepts both 100 and 400 ASA film
- Automatic frame counter
- Viewfinder contains bright frame with parallex compensation marks.
- 250 flashes with set of batteries.

ACCESSORIES

PRODUCT NUMBER	DESCRIPTION
12506	Replacement lens cap
28406	Metal table tripod



APPROXIMATE SIZE

35mm COMPACT CAMERA

CHINON

35F

SPECIFICATIONS

- **Type:** 35mm compact camera with built-in flash and easy loading system
- **Negative Size:** 24 × 36mm
- **Film:** 35mm film
- **Lens:** Chinon F/3.8 35mm lens, 3 elements in 3 groups
- **Viewfinder:** Bright frame, Parallax compensation mark, Under exposure warning LED
- **Shutter:** Chinon leaf-shutter, Shutter speed 1/125 sec.
- **Exposure:** Weather mark setting at ASA 100 or 400
- **Focusing:** Fixed type (1.3M infinity)
- **Easy loading System:** Built-in
- **Film Counter:** Automatically indicates number of exposure and resets to S (start) position when the camera back is opened

- **Film Rewind:** Folding crank type
- **Flash Unit:** Built-in flash unit with pop-up design
- **Guide Number:** 14 (ASA 100: M), 46 (ASA 100: Ft)
- **Recycling Time:** Approximately 7 sec. with alkaline batteries
- **Effective Flash Distance:** 2 — 4 M, 6.6 — 13.1 Ft. (ASA 100)
- **Number of Flashes:** Approximately 250 with alkaline batteries
- **Other Features:** Picture ready window, Cartridge window, Hand strap
- **Filter Size:** 46mm
- **Power Source:** Two 1.5V AA size alkaline batteries (1.5V × 2 = 3V)
- **Dimensions:** 123.5(W) × 72(H) × 51(D)mm (4.05" × 2.83" × 2")
- **Weight:** 280g. (9.87 oz.)

STANDARD PACKAGING

PRODUCT NUMBER	DESCRIPTION
38300	35F
---	Lens cap
40209	Standard case
---	Wrist strap
---	Instruction book

